



CHÂTEAU
ANTIQUÉ BRONZE



ISLE
SATIN NICKEL



LAURENTIAN
SATIN CHROME



MANOR
ANTIQUÉ BRONZE

SPECIFICATIONS


- Certifications**
- 1 Year limited mechanical warranty
 - 5 Year limited finish warranty
- Door Thickness**
- 1 $\frac{3}{8}$ –1 $\frac{3}{4}$ " (35–44.5 mm)
- Handing**
- Non handed
- Backset**
- 2 $\frac{3}{8}$ –2 $\frac{3}{4}$ " (60–70 mm), adjustable
- Spring Latch**
- Solid zinc alloy
 - $\frac{1}{2}$ " (12.7 mm) throw
- Deadbolt**
- Solid deadbolt with hardened steel security pin
 - 1" (25.4 mm) throw
- Faceplate**
- 4-Way type (W), square corner; convertible to drive-in
 - 1 x 2 $\frac{1}{4}$ " (25.4 x 57 mm)
- Strike**
- Full-lip strike, round corner 1 $\frac{3}{4}$ x 2 $\frac{1}{4}$ " (44.5 x 57 mm)
 - Deadbolt strike, round corner 1 $\frac{1}{8}$ x 2 $\frac{3}{4}$ " (29 x 70 mm)
- Exterior Trim**
- Zinc die-cast handle
- Interior Trim**
- Standard ball knob
 - Round thumb-turn trim
- Chassis**
- Exposed mounting screws
 - All mounting hardware included
- Preparation**
- Cross bore: 2 $\frac{1}{8}$ " (54 mm)
 - Edge bore: 1" (25.4 mm)
- Cylinder**
- 5-pin cylinder
 - Weiser keyway
 - 2 keys
- Functions**
- Entry
- Finish** See *Selection Guide*.

301	CH	B	C15	KD	W
SERIES ¹	STYLE	TRIM	FINISH	KEYING	LATCH
(1) USE V301 WHEN ORDERING LAURENTIAN (LA) MODEL					

SELECTION GUIDE

	C10B OIL RUB. BRONZE	C11P ANTIQUÉ BRONZE	C15 SATIN NICKEL	C15A ANTIQUÉ NICKEL	C19 MATTE BLACK	C26 POLISHED CHROME	C26D SATIN CHROME	C3 POLISHED BRASS	C32D SATIN S.STEEL	C4 SATIN BRASS	C5 ANTIQUÉ BRASS	V3* POLISHED BRASS	/CASE
CHÂTEAU	CH	•	•	•	•		•						6
ISLE	IL	•	•	•									6
LAURENTIAN	LA	•	•	•			•						6
MANOR	MN	•	•	•	•		•	•					6

OTHER FINISHES AVAILABLE, MINIMUM ORDER QUANTITIES AND/OR ADDITIONAL DELIVERY TIMES MAY BE REQUIRED – PLEASE CONTACT (*) LIFETIME FINISH WARRANTY



	A	B*	C
CHÂTEAU CHB	2 $\frac{9}{16}$ (65)	5 (127)	8 $\frac{13}{32}$ (214)
ISLE ILB	2 $\frac{9}{16}$ (65)	5 (127)	8 $\frac{13}{32}$ (214)
LAURENTIAN LAB	2 $\frac{1}{4}$ (57)	5 (127)	8 $\frac{5}{8}$ (219)
MANOR MNB	2 $\frac{3}{8}$ (60)	5 (127)	8 $\frac{13}{32}$ (214)

IN (MM) (*) RECOMMENDED DISTANCE