

# PF SERIES

## GLASS DOOR LOCKS



PF210  
PASSAGE



SILENT LATCH



PF251  
ENTRY (KIK CYLINDER)



PF251P  
PROFILE CYLINDER

**Warranty** • 1 Year limited warranty

**Panel Thickness** • For tempered glass panels  
5/16–1/2" (8–12.7 mm) thick

**Handing** • Handed, field reversible\*

(\* ) *Handing conversion is possible only from  
LH to RH or LHR to RHR (and vice versa).  
See handing guide.*

**Spring Latch** • Stainless steel, 1/2" (12.7 mm) throw  
• Derlin stripe for silent/smooth operation

**Strike** • ASA strike – available  
• Metal frame strike – available  
• Glass panel strike – available

*Strikes not included, sold separately.  
See Parts & Accessories*

**Trim** • High strength zinc-alloy body  
• Stainless steel covers

*Levers not included, sold separately.  
See Parts & Accessories*

**Chassis** • Concealed mounting  
• Shims and gaskets included

**Preparation** • Glass cut-out required. See installation  
instructions for details

**Cylinder** • 5-pin KIK cylinder  
• Schlage "C" keyway, 2 keys  
• Removable, rekeyable

*Other keyways and keying options available.*

**Functions** 200 Glass panel strike  
210 Passage  
251 Entry  
251P Entry, profile cylinder (less core)

**Levers** • Wide variety of lever styles  
• Sold separately – see Parts & Accessories

**Finish** 630–Satin stainless steel  
19–Matte black\*

(\* ) *Special order. Other finishes also available by  
special order*

PF	251	LH	–	630
SERIES	FUNCTION <sup>1</sup>	HAND		FINISH


(1) SEE SELECTION CHART FOR DETAILS

(2) LH: LEFT RH: RIGHT LHR: LEFT, REVERSED RHR: RIGHT, REVERSED

## SELECTION GUIDE

SERIES	FUNCTION / DESCRIPTION	FINISH <sup>1</sup>	/ CASE
PF	210 Passage	630, 19*	20
PF	251 Entry, KIK cylinder included ➔	630, 19*	20
PF	251P Entry, profile cylinder (less core) ➔	630, 19*	20
PF	200 Strike for glass side panel	630, 19*	**

(1) OTHER FINISHES AVAILABLE, MINIMUM ORDER QUANTITIES AND/OR ADDITIONAL DELIVERY TIMES MAY BE REQUIRED. (\*) SPECIAL ORDER, MAY REQUIRE ADDITIONAL DELIVERY TIME  
 (\*\*) CONTACT LOCAL REPRESENTATIVE FOR DETAILS. ➔ KEYED FUNCTION; FULL KEYING SERVICES AVAILABLE.



	A	B	C	D	E
<b>PF210</b>	2 <sup>5</sup> / <sub>8</sub>	6 <sup>1</sup> / <sub>2</sub>	5 <sup>7</sup> / <sub>8</sub>	7 <sup>7</sup> / <sub>8</sub>	5 <sup>5</sup> / <sub>16</sub>
<b>PF251</b>	(67)	(165)	(150)	(22)	(8)
<b>PF200</b>	2 <sup>5</sup> / <sub>8</sub>	3	2 <sup>3</sup> / <sub>8</sub>	7 <sup>7</sup> / <sub>8</sub>	5 <sup>5</sup> / <sub>16</sub>
	(67)	(76)	(60)	(22)	(8)

IN (MM)

## PARTS & ACCESSORIES

Additional lever styles available by special order - see Architectural Lever Styles.  
 Please contact your local sales representative for details.



**PFL001-32D**  
 Straight lever style (sold in pairs).



**PFL018-32D**  
 Curved lever style (sold in pairs).



**CBPT1530-SCKD-15**  
 Schlage "C" keyway profile cylinder with thumb-turn. For LH/RH PF251P locks.



**CBPT3131-SCKD-15**  
 Schlage "C" keyway profile cylinder with thumb-turn. For LHR/RHR PF251P lock.



**9203**  
 Viro profile cylinder, brass plated. Required for master key systems with PF251P.



**LS01**  
 For metal door frames 1<sup>3</sup>/<sub>4</sub>" to 2" (44.5 mm to 50 mm) thick. Includes dust-box, mounting plate and machine screws.



**ASAC15**  
 ASA strike for 1<sup>3</sup>/<sub>4</sub>" to 2" (44.5 mm to 50 mm) door frame. 1<sup>1</sup>/<sub>4</sub>" x 4<sup>7</sup>/<sub>8</sub>" (32 x 124 mm)



**PF200**  
 Patch fitting lock strike for glass side panel.



# PF SERIES

## ARCHITECTURAL LEVER STYLES



Ac



Ha



Bc



Hw



Bf



Ma



Br



Mf



Fa



Qk



Fb



Ra



Uc



Rc

To order glass door locks with architectural levers, please use the following schema:

TG	10	L	-	FA	N	-	630
SERIES	FUNCTION	HANDING		STYLE	ROSE		FINISH
	10 Passage	L Left		Any architectural lever style	N None		630 Satin stainless steel
	51 Entrance (KIK)	R Right					19* Matte black
	P51 Entrance w/ profile cylinder	LHR Left rev. RHR Right rev.					

Architectural levers may require additional lead times and/or minimum order quantities. Please verify availability with your local sales representative.

(\*) Special order

